

[54] RECONFIGURABLE TOY VEHICLE

[75] Inventor: Hiroyuki Obara, Tokyo, Japan

[73] Assignee: Takara Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 587,362

[22] Filed: Mar. 8, 1984

[30] Foreign Application Priority Data

Sep. 20, 1983 [JP] Japan 58-40857

[52] U.S. Cl. D21/136; D21/150;
D21/166

[58] Field of Search D21/128, 136, 150, 166,
D21/137; 447/71, 72, 73, 76, 77, 487; D12/82,
86, 89, 90

[56] References Cited

U.S. PATENT DOCUMENTS

D. 218,340 8/1970 McLaren D21/136

D. 224,744 9/1972 Spiegel D21/136

D. 226,110 1/1973 Daniel D21/136

D. 275,122 8/1984 Murakami D21/150

D. 275,506 9/1984 Goldfarb et al. D21/137

4,456,384 6/1984 Murakami 446/487

FOREIGN PATENT DOCUMENTS

55-1662 1/1980 Japan 446/487

2122908 1/1984 United Kingdom 446/487

2128489 5/1984 United Kingdom 446/487

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Jackson, Jones & Price

[57] CLAIM

The ornamental design for a reconfigurable toy vehicle, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a reconfigurable toy car vehicle showing my new design;

FIG. 2 is a top plan view;

FIG. 3 is a left elevational side view which is a mirror image of the right elevational side view;

FIG. 4 is a front elevational view;

FIG. 5 is a rear elevational view;

FIG. 6 is a bottom plan view;

FIG. 7 is a front elevational view of the design shown in FIGS. 1 through 6 reconfigured in the form of a toy robot;

FIG. 8 is a right elevational side view which is a mirror image of the left elevational side view;

FIG. 9 is a rear elevational view;

FIG. 10 is a top plan view, and

FIG. 11 is a bottom plan view.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

