United States Patent [19]

Doi

[54] RECONFIGURABLE TOY VEHICLE

- [75] Inventor: Takayoshi Doi, Ichikawa, Japan
- [73] Assignee: Takara Co., Ltd., Tokyo, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 944,591
- [22] Filed: Dec. 17, 1986

[30] Foreign Application Priority Data

- - D21/166
- [58] Field of Search D21/150, 128, 136, 166, D21/137-140; D12/86, 88, 96; 446/71-78, 94, 97, 383, 381, 487

[56] References Cited

U.S. PATENT DOCUMENTS

D. 279,916	7/1985	Obara D21/136
D. 281,087	10/1985	Ohno D21/136
D. 284,491	7/1986	Ohno D21/150
D. 294,609	3/1988	Matsumoto D21/136
D. 294,610	3/1988	Matsumoto D21/136
D . 295,199	4/1988	Yoke D21/136

Primary Examiner—Charles A. Rademaker Attorney, Agent, or Firm—Price, Gess, & Ubell

[11] Patent Number: Des. 301,352

[45] Date of Patent: ** May 30, 1989

CLAIM

[57]

The ornamental design for a reconfigurable toy vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a reconfigurable

toy vehicle showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is another front perspective view of the design shown in FIGS. 1 through 6 in a humanoid robot configuration;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is further front perspective view of the design shown in FIGS. 1 through 12 in another humanoid robot configuration;

FIG. 14 is a front elevational view thereof;

FIG. 15 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a top plan view thereof; and

FIG. 18 is a bottom plan view thereof.

10. to is a bottom plan view mereor.













FIG.4

















D301,352









